

Vascular Plants of Rotokare Scenic Reserve, Eltham

Wanganui Plant List No. 50

List adapted from "Scenic Reserves of West Taranaki"

Clarkson and Boase (1982) with additions.

C C Ogle, DOC, Wanganui (1963-1994)

A King + Wanganui Botanical Group 2 May 1993

Last updated: 9 Feb 2000

* = adventive species; # = native species planted but not natural to area; (+) = present, but not listed by Clarkson and Boase (1982). Species listed as (unc) = uncommon

Gymnosperm Trees

<i>Dacrycarpus dacrydioides</i>	kahikatea
<i>Dacrydium cupressinum</i>	rimu
<i>Prumnopitys ferrugineus</i> (unc)	miro
<i>Podocarpus totara</i>	totara

Dicot Trees and Shrubs

<i>Alectryon excelsus</i>	titoki
<i>Aristotelia serrata</i>	wineberry
<i>Beilschmiedia tawa</i>	tawa
* <i>Berberis glaucocarpa</i>	barberry
<i>Brachyglottis repanda</i>	rangiora
<i>Carmichaelia australis</i> (incl. <i>C. cunninghamii</i>)	NZ broom
<i>Carpodetus serratus</i>	putaputaweta
<i>Coprosma grandifolia</i>	raurekau
<i>C. lucida</i>	shining karamu
<i>C. robusta</i>	karamu
<i>C. tenuicaulis</i>	
<i>Corynocarpus laevigatus</i> (unc)	karaka
<i>Elaeocarpus dentatus</i>	hinau
<i>Fuchsia excorticata</i>	kotukutuku, tree fuchsia
<i>Geniostoma rupestre</i> ssp. <i>ligustrifolium</i>	hangehange
<i>Griselinia lucida</i>	puka
<i>Hebe stricta</i> var. <i>stricta</i>	koromiko
<i>Hedycarya arborea</i>	pigeonwood
<i>Hoheria populnea</i> var.	lacebark
<i>Knightia excelsa</i>	rewarewa
<i>Kunzea ericoides</i> (+)	kanuka
<i>Laurelia novae-zelandiae</i>	pukatea
<i>Leptospermum scoparium</i>	manuka
* <i>Leycesteria formosa</i> (+)	Himalayan honeysuckle
<i>Lophomyrtus bullata</i>	ramarama
<i>Macropiper excelsum</i>	kawakawa
<i>Melicytus ramiflorus</i>	mahoe
# <i>Metrosideros excelsa</i>	pohutukawa
<i>M. robusta</i>	northern rata
<i>Myrsine australis</i>	mapou

<i>Nestegis lanceolata</i>	white maire
<i>Olearia rani</i>	heketara
<i>Pennantia corymbosa</i>	kaikomako
<i>Pseudopanax arboreus</i>	fivefinger
<i>P. crassifolius</i>	horoeka, lancewood
<i>Pseudowintera axillaris</i> (+)	horopito, pepperwood
<i>Rhabdothamnus solandri</i>	taurepo
* <i>Salix cinerea</i> (+)	grey willow
* <i>S. fragilis</i>	crack willow
<i>Schefflera digitata</i>	pate
<i>Solanum aviculare</i>	poroporo
<i>Streblus heterophyllus</i>	turepo, small-leaved milktree
<i>Syzygium maire</i>	maire tawake, swamp maire
* <i>Ulex europaeus</i>	gorse
<i>Weinmannia racemosa</i> ssp. <i>racemosa</i>	kamahi

Dicot lianes

<i>Calystegia tuguriorum</i>	NZ convolvulus
<i>Clematis foetida</i>	scented clematis
<i>C. paniculata</i>	puawhanganga
<i>Metrosideros colensoi</i>	aka, white rata vine
<i>M. diffusa</i>	aka, white rata vine
<i>M. fulgens</i>	scarlet rata vine
<i>M. perforata</i>	aka, white rata vine
<i>Muehlenbeckia australis</i>	pohuehue
<i>Parsonsia capsularis</i>	NZ jasmine
<i>P. heterophylla</i> (+)	NZ jasmine
<i>Passiflora tetrandra</i>	NZ passionflower
<i>Rubus cissoides</i> var. <i>cissoides</i>	bush lawyer
* <i>R. fruticosus</i> agg.	blackberry
<i>R. schmideliooides</i> (+)	bush lawyer

Monocot Trees

<i>Cordyline australis</i>	cabbage tree
<i>Rhopalostylis sapida</i>	nikau

Monocot lianes

<i>Freycinetia banksii</i>	kiekie
<i>Ripogonum scandens</i>	supplejack

Fern allies

<i>Huperzia varia</i>	clubmoss
<i>Lycopodium volubile</i> (+)	climbing clubmoss
<i>L. scariosum</i>	clubmoss

Tmesipteris elongata¹

Ferns

<i>Adiantum cunninghamii</i> (+)	maidenhair fern
<i>Anarthropteris lanceolata</i>	
<i>Arthropteris tenella</i>	
<i>Asplenium bulbiferum</i>	hen and chicken fern
<i>A. flaccidum</i>	hanging spleenwort
<i>A. gracillimum</i> (+)	
<i>A. hookerianum</i>	
<i>A. oblongifolium</i>	shining spleenwort
<i>A. polyodon</i>	sickle spleenwort
<i>Azolla filiculoides</i> ssp. <i>rubra</i>	red waterfern
<i>Blechnum chambersii</i>	
<i>B. discolor</i> (unc)	crown fern
<i>B. filiforme</i>	climbing blechnum
<i>B. fluitatile</i>	
<i>B. minus</i> (of NZ authors) (+)	swamp kiokio
<i>B. novae-zelandiae</i> (+)	kiokio
<i>B. penna-marina</i> (+)	
<i>Cyathea dealbata</i>	ponga
<i>C. medullaris</i>	mamaku
<i>Dicksonia squarrosa</i>	wheki
<i>Histiopteris incisa</i> (+)	water fern
<i>Hymenophyllum dilatatum</i>	filmy fern
<i>H. ferrugineum</i> (+)	filmy fern
<i>H. flabellatum</i> (+)	filmy fern
<i>H. scabrum</i> (+)	filmy fern
<i>Hypolepis ambigua</i> (+)	filmy fern
<i>Lastreopsis glabella</i>	
<i>L. hispida</i>	
<i>Leptopteris hymenophylloides</i>	
<i>Microsorum pustulatum</i>	hound's tongue
<i>M. scandens</i>	
<i>Paesia scaberula</i>	ring fern
<i>Pneumatopteris pennigera</i>	
<i>Polystichum richardii</i>	
<i>P. silvaticum</i> (+)	
<i>Pteridium esculentum</i>	bracken
<i>Pteris pendula</i> (P. macilenta of NZ authors)	
<i>P. tremula</i>	shaking brake
<i>Pyrrosia eleagnifolia</i>	leatherleaf fern
<i>Trichomanes venosum</i> (+)	filmy bristle fern

Monocot Herbs

¹ Confirmed: A King, Wanganui (2.5.93)

<i>Astelia solandri</i>	perching lily
<i>Baumea articulata</i> (+)	bamboo sedge
<i>Carex dissita</i> (+)	
<i>C. geminata</i> s.s. (+)	
<i>C. maorica</i> (+)	
<i>C. secta</i> var. <i>secta</i>	<i>purei</i>
<i>C. solandri</i> (+)	
<i>C. virgata</i> (+)	
<i>Collospermum hastatum</i>	perching lily
<i>Cortaderia fulvida</i> (+)	toetoe
* <i>Dactylis glomerata</i> (+)	cocksfoot
<i>Dianella nigra</i>	turutu, blueberry
<i>Drymoanthus adversus</i> (+)	a perching orchid
<i>Earina mucronata</i>	a perching orchid
<i>Eleocharis acuta</i> (+)	sharp spike sedge
* <i>Holcus lanatus</i> (+)	Yorkshire fog
<i>Isachne globosa</i> (+)	swamp millet
<i>Isolepis</i> sp. (+)	
<i>Juncus gregiflorus</i> (+)	
<i>J. planifolius</i> (+)	
<i>J. sarophorus</i> (+)	
* <i>Lagarosiphon major</i>	
<i>Lemna minor</i> (of NZ authors) (+)	duckweed
<i>Microlaena avenacea</i> (+)	bush rice-grass
<i>Microtis unifolia</i>	onion-leaved orchid
* <i>Phalaris</i> sp. (+)	canary grass
<i>Phormium tenax</i>	harakeke, NZ flax
<i>Pterostylis banksii</i>	green hood orchid
<i>P. graminea</i>	green hood orchid
<i>Typha orientalis</i>	raupo
<i>Uncinia banksii</i>	hooked sedge
<i>U. ferruginea</i> (+)	hooked sedge
<i>U. uncinata</i>	hooked sedge
<i>Winiaka cunninghamii</i>	a perching orchid

Dicot Herbs

* <i>Acaena novae-zelandiae</i>	piripiri, bidibid
* <i>Apium nodiflorum</i> (+)	water celery
* <i>Arctium minus</i> (+)	burdock
<i>Callitriche muelleri</i> (+)	NZ starwort
<i>Cardamine</i> sp. (unnamed; <i>C. debilis</i> agg.; C. "Narrow Petal" of Pritchard 1957)	NZ bittercress
<i>C. sp.</i> (unnamed; <i>C. debilis</i> agg.; C. "Long Style" of Pritchard 1957)	NZ bittercress
* <i>Cirsium arvense</i> (+)	Californian thistle
* <i>Conium maculatum</i> (+)	hemlock
<i>Elatostema rugosum</i>	parataniwha
<i>Epilobium nummulariifolium</i>	willow-herb

* <i>Erigeron karvinskianus</i> (unc) (+)	Mexican daisy
* <i>Galium palustre</i> (+)	marsh bedstraw
<i>Geranium microphyllum</i> (+)	
<i>Gnaphalium gymnocephalum</i> (+)	NZ cudweed
<i>Gunnera monoica</i> (+)	
<i>Hydrocotyle heteromeria</i> (+)	wax weed
<i>H. moschata</i> (+)	hairy pennywort
<i>H. pterocarpa</i> (+)	swamp pennywort
<i>Lagenifera pumila</i> (+)	
* <i>Lathyrus latifolius</i> (+)	everlasting pea
* <i>Ludwigia peploides</i> (+)	water primrose
* <i>Myosotis laxa</i> ssp. <i>caespitosa</i> (+)	water forget-me-not
<i>Myriophyllum propinquum</i> (+)	water milfoil
<i>Nertera depressa</i>	
* <i>Plantago major</i> (+)	broad-leaved plantain
* <i>Polygonum hydropiper</i> (+)	water pepper
<i>P. salicifolium</i> (+)	NZ willow-weed
<i>Pratia angulata</i> agg.	
<i>Ranunculus reflexus</i>	bush buttercup
* <i>R. repens</i> (+)	creeping buttercup
* <i>Senecio jacobaea</i> (unc.) (+)	ragwort
<i>S. minimus</i> (+)	fireweed
* <i>Solanum nigrum</i> (+)	black nightshade
<i>Stellaria decipiens</i>	NZ chickweed
<i>Urtica incisa</i>	nettle
* <i>Vicia</i> sp. (+)	vetch
<i>Wahlenbergia violacea</i> (+)	harebell