

# WANGANUI PLANT LIST 53

Vascular plants Ahu Ahu Valley (between Ahu Ahu and the ohu) Whanganui River confluence  
Colin Ogle  
22 January 1993  
Department of Conservation  
WANGANUI

List updated 30 September 1993

\* denotes adventive species (planted species are not listed)  
CHR denotes specimen collected for national herbarium, Lincoln.

## Gymnosperm trees

Dacrycarpus dacrydioides	kahikatea
Dacrydium cupressinum	rimu

## Dicot trees, shrubs and lianes

Alectryon excelsus [J. Milnes, pers. comm.]	titoki
Beilschmeidia tawa	tawa
Brachyglottis repanda	rangiora
*	
Buddleja davidii	purple buddleia
Calystegia tuguriorum	convolvulus
Carpodetus serratus	putaputaweta
Clematis forsteri	
Coprosma grandifolia	raurekau, kanono
C. lucida	shining karamu
C. rhamnoides	
C. robusta	karamu
Coriaria arborea	tutu
Dracophyllum strictum	totorowhiti
Gaultheria antipoda	snowberry
G. oppositifolia	
Geniostoma rupestre var. ligustrifolium	hangehange
Hebe stricta var. stricta	koromiko
H. sp. (Veronica squalida)	
Hedycarya arborea	pigeonwood
Helichrysum aggregatum	
Hoheria populnea var. (H. sexstylosa)	lacebark
Knightia excelsa	rewarewa
Kunzea ericoides	kanuka
Laurelia novae-zelandiae	pukatea
Leptospermum scoparium	manuka
Leucopogon fasciculatus	mingimingi
*	
Leycesteria formosa	Himalayan honeysuckle
Macropiper excelsum	kawakawa
Melicytus ramiflorus	mahoe
Metrosideros diffusa	white rata vine
M. fulgens	scarlet rata vine

<i>M. perforata</i>	white rata vine
<i>M. robusta</i>	northern rata
<i>Muehlenbeckia australis</i>	pohuehue
<i>Myrsine australis</i>	mapou
<i>Nothofagus solandri</i> var. <i>solandri</i>	black beech
<i>Olearia rani</i>	heketara
<i>Parsonsia capsularis</i>	NZ jasmine
<i>Passiflora tetrandra</i>	NZ passionvine
<i>Pseudopanax crassifolius</i>	lancewood
<i>Rubus cissoides</i> var. <i>cissoides</i>	bush lawyer
* <i>R. fruticosus</i> agg.	blackberry
<i>Schefflera digitata</i>	pate
<i>Sophora microphylla</i>	kowhai
<i>Weinmannia racemosa</i>	kamahi

### Monocot Trees and Lianes

<i>Cordyline australis</i> [J Milnes, pers. comm.]	cabbage tree
<i>C. banksii</i>	Banks' cabbage tree

### Dicot Herbs

<i>Anaphalis keriensis</i>	everlasting daisy
<i>A. subrigida</i>	everlasting daisy
* <i>Callitriche stagnalis</i>	starwort
* <i>Cedronella canariensis</i> CHR	balm of Gilead
* <i>Cirsium arvense</i>	California thistle
* <i>C. palustre</i>	marsh thistle
* <i>C. vulgare</i>	Scotch thistle
* <i>Digitalis purpurea</i>	foxglove
<i>Drosera peltata</i> ssp. <i>auriculata</i>	sundew
<i>Elatostema rugosum</i>	parataniwha
<i>Epilobium nerteroides</i>	willowherb
* <i>Galium aparine</i>	cleavers
* <i>G. palustre</i>	marsh bedstraw
<i>Gnaphalium gymnocephalum</i>	cudweed
<i>G. sphaericum</i>	
<i>Gunnera monoica</i>	
<i>Haloragis erecta</i>	
<i>Hydrocotyle moschata</i>	hairy pennywort
* <i>Lotus pedunculatus</i>	lotus
<i>Oxalis exilis</i>	
<i>Parahebe diffusa</i> ssp. [= <i>P. catarractae</i> ssp. <i>lanceolata</i> ]	
* <i>Plantago lanceolata</i>	narrow-leaved plantain
* <i>P. major</i>	broad-leaved plantain
<i>Pratia angulata</i>	
* <i>Prunella vulgaris</i>	self-heal
<i>Pseudognaphalium</i> sp.	

(P. luteo-album agg.)	
* Scrophularia auriculata CHR	cudweed
* Senecio minimus	water figwort
S rufiglandulosus	fireweed
* Stachys sylvatica	
Stellaria decipiens	hedge woundwort
* Torilis japonica CHR	
* Verbena bonariensis	upright hedge parsley
* Wahlenbergia marginata	purpletop harebell

### Monocot herbs

* Anthoxanthum odoratum	sweet vernal
Arthropodium candidum	
Caladenas sp.	an orchid
Carex lessoniana	cutty grass
* C. ovalis	
C. solandri	
C. virgata	
* C. vulpinoidea CHR	
C. sp. (unnamed; C. geminata agg. "large")	cutty grass
Colospermum hastatum	perching lily
Cortaderia sp.	toetoe
Corybas sp.	spider orchid
* Dactylis glomerata	cocksfoot
Dianella nigra	turutu, blueberry
* Festuca arundinacea	tall fescue
Gahnia setifolia	
* Holcus lanatus	Yorkshire fog
* Isolepis sepulchralis	
I. sp.	
Juncus gregiflorus	rush
J. sarophorus	rush
Machaerina sinclairii	tuhara
Microlaena avenacea	bush ricegrass
M. stipoides	meadow ricegrass
Microtis unifolia	onion-leaved orchid
Phormium cookianum	wharariki, mountain flax
Poa anceps ssp. anceps	
P. pusilla CHR	
Pterostylis banksii	greenhood orchid
Rytidosperma gracile	danthonia
Schoenus maschalinus	
* Sporobolus africanus	ratstail
* Stenotaphrum secundatum	buffalo grass
Thelymitra longifolia	white sun orchid
Uncinia ferruginea	hookgrass
U. uncinata	"

## Ferns

<i>Adiantum cunninghamii</i>	maidenhair fern
<i>Asplenium bulbiferum</i>	hen and chicken fern
<i>A. oblongifolium</i>	shining spleenwort
<i>A. polyodon</i>	sickle spleenwort
<i>Blechnum chambersii</i>	
<i>B. discolor</i>	crown fern
<i>B. fluviatile</i>	
<i>B. sp. (unnamed; B. capense agg. "Green Bay form")</i>	cliff kiokio
<i>B. sp. (unnamed; B. capense agg. "Black Spot")</i>	kiokio
<i>Cyathea dealbata</i>	ponga
<i>C. medullaris</i>	mamaku
<i>Dicksonia fibrosa</i>	wheki-ponga
<i>D. squarrosa</i>	wheki
<i>Hypolepis ambigua</i>	
<i>Paesia scaberula</i>	ring fern
<i>Phymatosorus diversifolius</i>	hound's tongue
<i>Pneumatopteris pennigera</i>	
<i>Polystichum richardii</i>	shield fern
<i>Pteridium esculentum</i>	bracken
<i>Pteris pendula</i>	
<i>P. tremula</i>	
<i>Pyrrosia eleagnifolia</i>	

## Fern Allies

<i>Lycopodium scariosum</i>	clubmoss
<i>L. volubile</i>	climbing clubmoss

## Notes on Species

All native species recorded are typical, widespread species of Matemateaonga Ecological District. Several of the adventive species are uncommon in the whole Wanganui Region, eg. water figwort (Scrophularia auriculata) has been recorded only in northern half of Northland, near Opotiki, and Outram in Otago; Carex vulpinoidea is recorded from northern half of North Island, and in NW Nelson, Buller, Westland; upright hedge parsley (Torilis japonica) is recorded from "Scattered localities in N. Auckland, Taranaki, Gisborne and Wellington Provinces" and south of Kaikoura and N. Canterbury and one Dunedin record; balm of Gilead (Cedronella canariensis) as a cultivation escape is recorded as "mostly rare and local" in North and South Islands (common about Wellington).