

## Wanganui Plant List No. 60

### **VASCULAR PLANTS OF FOREST REMNANT, TOKOMARU WEST ROAD, BRUNSWICK, WANGANUI (property of A R Kitto's)**

C C Ogle and Wanganui Botanical Group, 4 July 1993, 26 February 1994

*updated nomenclature for Polystichum richardii 21 August 2003*

*Completely typed up (only had paper copy), changed format into table  
and all generic names spelled out in full 14 September 2004*

#### Vegetation

Forest area of c.18 acres, mostly tawa dominant but some parts are matai dominant or, in secondary regeneration, mahoe or even manuka. The understorey is largely eaten out by goats and domestic stock, but unpalatable shrubs, especially rangiora, young matai and taurepo, are widespread and locally abundant. Palatable plants are often confined to cliffs and fallen blocks of shellrock. As is common in limestone country, the surface is dry and very well drained, and the plants are generally drought-tolerant species. For example the ferns are dominated by *Pellaea*, *Anarthropteris*, *Phymatosurus scandens*, ponga, *Asplenium gracillimum*. Apart from one area of *Hymenophyllum demissum* on the forest floor, filmy ferns were mostly on trees in the more humid gully bottoms, on branches overhanging watercourse (dry at the time of our visit). The drought-tolerant forest sedges *Carex spinirostris*, *Uncinia affinis* and *Uncinia scabra* are all uncommon regionally. The local dominance of matai is most unusual for the Wanganui-Taranaki regions.

The shellrock topography is typical of a number of places between Wanganui and Waverly at about the boundary of the Matemateaonga and the Manawatu Ecological Districts, and a few spots in the Plains where streams have cut down (e.g. Okehu Stream, including Ngawaiorua Scenic Reserve). Most of these limestone areas are in pasture, gorse, scrub or pines; the area covered by this plant list is a rare example with native forest.

#### Abbreviations :

x = present

u = uncommon (only one or a very few plants seen)

\* = adventive species (NB herbaceous adventives were mostly not listed).

	<b>Latin name</b>	<b>Common name</b>	
<b>Gymnosperms</b>			
	<i>Dacrycarpus dacrydioides</i>	kahikatea	x
	<i>Dcrydium cupressinum</i>	rimu	u
*	<i>Pinus pinaster</i>	maritime pine	u
	<i>Podocarpus totara</i>	totara	x
	<i>Prumnopitys ferruginea</i>	miro	x
	<i>Prumnopitys taxifolia</i>	matai	x
<b>Dicot trees and shrubs</b>			
	<i>Alectryon excelsus</i>	titoki	x
	<i>Aristotelia serrata</i>	makomako, wineberry	u

<b>Latin name</b>	<b>Common name</b>	
<i>Beilschmiedia tawa</i>	tawa	x
* <i>Berberis glaucocarpa</i>	barberry	u
<i>Brachyglottis repanda</i>	rangiora	x
<i>Carmichaelia cunninghamii</i>	NZ broom	x
<i>Carpodetus serratus</i>	putaputaweta	x
<i>Coprosma areolata</i>		u
<i>Coprosma grandifolia</i>	kanono	u
<i>Coprosma rhamnoides</i>		x
<i>Coprosma robusta</i>	karamu	x
<i>Corynocarpus laevigatus</i>	karaka	u
<i>Geniostoma rupestre</i>	hangehange	x
<i>Hebe stricta</i> var. <i>stricta</i>	koromiko	x
<i>Hedycarya arborea</i>	pigeonwood	x
<i>Hoheria populnea</i> var [ <i>H. sexstylosa</i> ]	lacebark	x
<i>Knightia excelsa</i>	rewarewa	x
<i>Kunzea ericoides</i>	kanuka	x
<i>Leptospermum scoparium</i>	manuka	x
<i>Leucopogon fasciculatus</i>	mingimingi	u
* <i>Leycesteria formosa</i>	Himalayan honeysuckle	x
<i>Macropiper excelsum</i>	kawakawa	x
<i>Melicytus ramiflorus</i>	mahoe	x
<i>Myoporum laetum</i>	ngaio	u
<i>Nestegis cunninghamii</i>	black maire	u
<i>Olearia rani</i>	heketara	x
<i>Pittosporum tenuifolium</i>	kohuhu	x
* <i>Populus alba</i>	silver poplar	x
<i>Pseudopanax anomalus</i>		x
<i>Pseudopanax arboreus</i>	fivefinger	u
<i>Pseudopanax crassifolius</i>	lancewood	x
<i>Rhabdothamnus solandri</i>	taurepo, NZ gloxinia	x
* <i>Salix fragilis</i>	crack willow	x
<i>Schefflera digitata</i>	pate	x
* <i>Spiraea</i> sp	may	u
<i>Streblus heterophyllus</i>	turepo, small-leaved milktree	u
* <i>Ulex europaeus</i>	gorse	x
<i>Weinmannia racemosa</i>	kamahi	u
<b>Monocot trees and shrubs</b>		
<i>Cordyline australis</i>	ti kouka, cabbage tree	u
<i>Cordyline banksii</i>	ti ngahere	u
<i>Cordyline australis</i> x <i>C. banksii</i>		u
<i>Rhopalostylis sapida</i>	nikau	u

<b>Latin name</b>	<b>Common name</b>	
<b>Dicot lianes</b>		
Clematis foetida		x
Clematis forsteri		u
Metrosideros colensoi	white rata vine	x
Metrosideros fulgens [M. Sigley Oct 1994]	scarlet rata vine	u
Parsonsia capsularis	NZ jasmine	x
Passiflora tetrandra	NZ passionflower	x
Rubus cissoides var.	bush lawyer	u
* Rubus fruticosus	blackberry	x
* Rubus phoenicolasius	raspberry	u
<b>Monocot lianes</b>		
Ripogonum scandens	supplejack	x
<b>Dicot herbs</b>		
Australina pusilla		x
* Bellis perennis	lawn daisy	x
* Callitricha stagnalis	starwort	x
* Cardamine hirsuta	bittercress	x
Cardamine sp. unnamed [C. debilis agg; C. "Narrow Petal" of Pritchard 1957]	NZ bittercress	x
Dichondra sp. unnamed [D. brevifolia agg.]		u
* Digitalis purpurea	foxglove	x
Elatostema rugosum	parataniwha	x
Epilobium nummulariifolium	willow herb	u
Epilobium rotundifolium	willow herb	x
Gnaphalium audax	cudweed	x
Gnaphalium gymnocephalum [now Euchiton gymnocephala?]	cudweed	u
Gnaphalium sphaericum	cudweed	u
Hydrocotyle elongata		x
Hydrocotyle heteromeria	waxweed	u
* Mycelis muralis	wall lettuce	x
Nertera setulosa		x
Ourisia macrophylla var. robusta	mountain foxglove	u
Oxalis exilis	native oxalis	x
Pratia angulata agg.		x
* Ranunculus parviflorus	small-flowered buttercup	x
Ranunculus reflexus	bush buttercup	x
* Ranunculus repens	creeping buttercup	x
Senecio rufiglandulosa		x
Stellaria decipiens	NZ chickweed	u
Urtica incise	NZ nettle	x

<b>Latin name</b>	<b>Common name</b>	
<i>Wahlenbergia colensoi</i>	harebell	x
* <i>Wahlenbergia marginata</i>	harebell	u
<b>Monocot herbs</b>		
<i>Astelia fragrans</i>		x
<i>Astelia solandri</i>	perching lily	x
<i>Carex forsteri</i>		u
<i>Carex solandri</i>		x
<i>Carex spinoirostris</i>		u
<i>Carex virgata</i>		x
<i>Collospermum hastatum</i>	perching lily	x
<i>Cortaderia toetoe</i>	toetoe	x
<i>Corybas macranthus</i> [M. Sigley Oct 1994]	spider orchid	u
* <i>Cynosurus cristatus</i>	crested dogstail	x
<i>Dianella nigra</i>	turutu, blueberry	u
<i>Drymoanthus adversus</i>		u
<i>Earina autumnalis</i>	Easter orchid	u
<i>Earina mucronata</i>		x
* <i>Holcus lanatus</i>	Yorkshire fog	x
<i>Isolepis nodosa</i>	club sedge	u
<i>Juncus gregiflorus</i>		x
<i>Juncus pallidus</i>		x
<i>Microlaena avenacea</i>	bush rice grass	x
<i>Phormium cookianum</i>	mountain flax, wharariki	x
<i>Poa anceps</i> ssp. <i>anceps</i>		x
<i>Schoenus maschalinus</i>		u
* <i>Tradescantia fluminensis</i>	wandering jew	x
<i>Uncinia affinis</i>	hooked sedge	x
<i>Uncinia scabra</i>	hooked sedge	u
<i>Uncinia uncinata</i>	hooked sedge	x
<b>Fern allies</b>		
<i>Lycopodium varium</i>	clubmoss	u
<i>Tmesipteris elongate</i>		x
<b>Ferns</b>		
<i>Adiantum cunninghamii</i>	maidenhair	x
<i>Anarthropteris lanceolata</i>		x
<i>Asplenium bulbiferum</i>	hen and chicken fern	x
<i>Asplenium flaccidum</i> s.s.	hanging spleenwort	x
<i>Asplenium gracillimum</i>		x
<i>Asplenium oblongifolium</i>	shining spleenwort	x
<i>Asplenium polyodon</i>	sickle spleenwort	x
<i>Blechnum chambersii</i>		x

Wanganui Plant List No.60 - Vascular Plants of forest remnant on Tokomaru West Road, Brunswick (Kitto's)

<b>Latin name</b>	<b>Common name</b>	
<i>Blechnum filiforme</i>	climbing blechnum	x
<i>Blechnum fluviatile</i>		x
<i>Blechnum membranaceum</i>		x
<i>Blechnum novae-zelandiae</i> [was listed at B. sp. unnamed (B. capense agg. "black spot")]	kiokio	x
<i>Cyathea dealbata</i>	ponga, silver fern	x
<i>Cyathea medullaris</i>	mamaku, black tree fern	x
<i>Cyathea smithii</i>	soft tree fern	x
<i>Dicksonia fibrosa</i>	wheki-ponga	x
<i>Dicksonia squarrosa</i>	wheki	u
<i>Histiopteris incisa</i>	waterfern	u
<i>Hymenophyllum demissum</i>	filmy fern	u
<i>Hymenophyllum flabellatum</i>	filmy fern	u
<i>Hymenophyllum sanguinolentum</i>	filmy fern	u
<i>Hypolepis ambigua</i>		u
<i>Lastreopsis glabella</i>		u
<i>Leptopteris hymenophylloides</i>	heruheru	x
<i>Microsorum pustulatum</i> [was listed as <i>Phymatosorus pustulatus</i> ]	hound's tongue fern	x
<i>Microsorum scandens</i> [was listed as <i>Phymatosorus scandens</i> ]		x
<i>Paesia scaberula</i>	ring fern	x
<i>Pellaea rotundifolia</i>	button fern	x
<i>Pneumatopteris pennigera</i>		x
<i>Polystichum wawranum</i>	hard shield fern	x
<i>Polystichum silvaticum</i>		u
<i>Pteridium esculentum</i>	bracken	x
<i>Pteris pendula</i> [P. macilenta of NZ authors]		u
<i>P. tremula</i>	shaking brake	x
<i>Pyrrosia eleagnifolia</i>	leather-leaf fern	x
<i>Tricomanes venosum</i>	bristle fern	x

Total number of indigenous species = 150 plus 20 adventives