

## WANGANUI PLANT LIST NO. 74

### VASCULAR PLANTS IN THE VICINITY OF TAIHAPE

(Taihape Scenic Reserve and adjoining forest areas)

**A.P. Druce, Botany Division D.S.I.R., October 1972**

**(Unpublished Plant List No 186)**

**(Based on observations 1946-1972 - indigenous species only)**

Additions by CC Ogle since 1990 (including adventive species), with help of J Barkla, G. La Cock and Wanganui Botanical Group

*Indigenous species marked (+) have been re-located since 1990*

*Indigenous species marked (++) are new to the list since 1990*

*Indigenous species marked (+s) have been seen since 1990, but only on Mt Stewart*

*j = juveniles only; unc = uncommon; \*Adventive species*

Last updated 6 May 1999

#### GYMNOSPERMS

Dacrycarpus dacrydioides (+)

Podocarpus totara s.s. (+)

Prumnopitys ferruginea (unc) (+) (j1)

P.taxifolia (+)

\* Sequoia sempervirens

#### MONOCOT TREES

Cordyline australis (+) (unc)

#### DICOT TREES

\* Acer pseudoplatanus

Aristotelia serrata

Beilschmiedia tawa (++,s)

Carpodetus serratus (+) (j1)

Elaeocarpus hookerianus (unc) (+)

\* Euonymus europaeus

\* Fraxinus excelsior

Fuchsia excorticata (+)

Griselinia littoralis (unc) (+)

Hoheria angustifolia (+) (j2)

H. populnea var. lanceolata (+)

Lophomyrtus obcordata (+)

Melicytus lanceolatus (unc)

M. ramiflorus ssp. ramiflorus (+)

Myrsine australis (+)

Nestegis cunninghamii (+)

N. lanceolata (+)

Pennantia corymbosa (+)

Pittosporum eugenioides (+)

P. tenuifolium ssp. tenuifolium (+)

*Plagianthus regius* var. *regius* (+)  
\* *Populus alba*  
\* *Prunus laurocerasus*  
\* *P. cerasifera?* (plum)  
*Pseudopanax arboreus* var. *arboreus* (+)  
*P. crassifolius* (+)  
\* *Salix fragilis*  
\* *Sambucus nigra*  
*Schefflera digitata* (+, s)  
*Sophora microphylla* (+)  
*Streblus heterophyllus* (+)

### **DICOT SHRUBS**

*Aristotelia fruticosa* var. *microphylla*  
\* *Berberis darwinii*  
\* *B. glaucocarpa*  
*Brachyglottis repanda* s.s. (+)  
\* *Buddleja davidii*  
*Carmichaelia australis* (+)  
*Coprosma areolata* (++) (unc)  
*C. crassifolia* (+)  
*C. grandifolia* (+)  
*C. linariifolia* (+)  
*C. lucida* s.s. (+)  
*C. propinqua* ssp. *propinqua*  
*C. rhamnoides* ssp. *rhamnoides* (+)  
*C. rigida*  
*C. robusta* (+)  
*C. rotundifolia* (+)  
*C. rubra* (+)  
*C. tenuifolia* (+)  
*C. virescens* (+) (j2)  
*C. propinqua* x *C. robusta* (unc)  
*Coriaria arborea* (+)  
*Corokia cotoneaster* var. *cotoneaster*  
\* *Cotoneaster franchetii*  
\* *C. glaucophyllus*  
\* *C. simonsii*  
*Hebe stricta* var. *stricta* (+)  
*H. sp.* (*Veronica squalida*) (+)  
*Helichrysum aggregatum* var. *aggregatum* (+)  
\* *Hypericum androsaemum*  
*Korthalsella lindsayi* s.s. (unc) (+)  
*Kunzea ericoides* var.  
*Leptospermum scoparium* var. (+)  
*Leucopogon fasciculatus* (unc) (+)  
\* *Leycesteria formosa*  
\* *Ligustrum sinense*  
*Melicope simplex* (+)  
*Melicytus flexuosus* (unc)  
*M. micranthus* (+)

M. micranthus x M. ramiflorus (++)  
Myrsine divaricata s.s. (+)  
Neomyrtus pedunculata (+)  
Olearia gardneri  
Pimelea prostrata s.s. (unc)  
Pseudopanax anomalus (+)  
Pseudowintera colorata (unc) (+)  
\* Ribes rubrum  
\* R. uva - crispa  
Teucrium parvifolium (incl. T.p. var. luxurians) (unc)  
\* Viburnum tinus

### **DICOT LIANES**

Calystegia tuguriorum (++)  
Clematis foetida (+)  
C. forsteri (incl. C.australis, C. hookeriana and C. petriei) (+)  
C. paniculata (++)  
\* C. vitalba  
Fuchsia perscandens  
\*Lonicera japonica  
Metrosideros colensoi (incl. M.c. var pendens) (unc) (+)  
Muehlenbeckia australis (+)  
M. complexa (unc) (+)  
Parsonia capsularis (+)  
P. heterophylla (+)  
Rubus cissoides var. (Volcanic Plateau form) (+)  
R. schmidelioides var. schmidelioides (+)  
R. squarrosus (unc) (+)  
\* Solanum dulcamara  
\* Tropaeolum speciosum  
\*Vinca major

### **FERNS**

Adiantum cunninghamii (++) (unc)  
Asplenium gracillimum (+)  
including AP Druce's record of  
A. bulbiferum agg.)  
A. flabellifolium agg.(+)  
A. flaccidum (+)  
A. hookerianum (unc)  
A. oblongifolium (unc)  
A. polyodon (+)  
A. bulbiferum x A. flaccidum (unc)  
A. b. x A. hookerianum (unc)  
Blechnum chambersii (+)  
B. fluviatile agg. (+)  
B. penna-marina (unc)  
B. novae-zelandiae (+)  
B. triangularifolium (+)  
Botrychium bifforme (++) (unc)  
Dicksonia fibrosa (+)

Hymenophyllum flabellatum (++) (unc)  
H. rarum (unc)  
Leptopteris hymenophylloides (+)  
Paesia scaberula (+, s)  
Pellaea rotundifolia (+)  
Phymatosorus pustulatus (+)  
Pneumatopteris pennigera (unc) (+)  
Polystichum richardii (+)  
P. silvaticum (+)  
P. vestitum (+)  
Pteridium esculentum (+)  
Pyrrosia eleagnifolia (+)

### **ORCHIDS**

Corybas trilobus agg. (++) (unc)  
Earina mucronata s.s. (unc) (+)

### **GRASSES**

Anemanthele lessoniana (unc)  
\* Bromus diandrus  
\* B. hordeaceus  
Cortaderia fulvida (+)  
\* Cynosurus echinatus  
\*Dactylis glomerata  
Echinopogon ovatus(+)  
\* Festuca arundinacea  
\* Hordeum murinum  
\* Lolium perenne  
Microlaena avenacea (+)  
M. polynoda (+)  
\* Phleum pratense  
Poa anceps ssp. anceps (+)  
\* P. annua  
P.imbecilla (+)

### **SEDGES**

Carex forsteri (+)  
C. geminata s.s.  
C. lambertiana  
C. solandri (+)  
C. testacea s.s.  
C. virgata (+)  
Machaerina sinclairii  
Uncinia affinis? (++) (unc)  
U. distans (++) (unc)  
U. laxiflora  
U. scabra  
U. uncinata

### **RUSHES**

\* *Juncus effusus*  
*J. gregiflorus* (+)  
\* *J. tenuis*  
*Luzula picta* s.s. (unc) (+)

### **MONOCOT HERBS (OTHER THAN ORCHIDS GRASSES, SEDGES, RUSHES)**

*Arthropodium candidum*(+)  
\* *Arum italicum*  
*Astelia fragrans* (+)  
*Collospermum microspermum* (+)  
*Dianella nigra* (unc)  
\* *Iris foetidissima*  
*Lemna* sp. (*L. minor* auct)  
*Libertia* sp.  
*Phormium cookianum* (+)

### **COMPOSITE HERBS**

\* *Arctium minus*  
\* *Cirsium arvense*  
\* *C. palustre*  
\* *C. vulgare*  
*Gnaphalium audax*  
*G. gymnocephalum* (++)  
*Lagenifera pumila*  
\* *Lapsana communis*  
\* *Mycelis muralis*  
*Pseudognaphalium* sp. (*P.luteo-album* agg.)  
*Senecio glomeratus*  
*S. minimus*  
*S. quadridentatus* (+)  
*S. rufiglandulosus* var. *rufiglandulosus* (+)

### **DICOT HERBS (OTHER THAN COMPOSITE)**

*Acaena anserinifolia*  
*A. juvenca* (+)  
*Australina pusilla* (+)  
*Callitrichie petriei* ssp. *Petriei* (+)  
\* *Capsella bursa-pastoris*  
*Cardamine* sp. (a) (*C. debilis* agg.)  
("Narrow Petal" of Pritchard, 1957)(+)  
*C. sp* (b) (*C. debilis* agg.) ("Long Style" of Pritchard) (+)  
\* *Conium maculatum*  
*Dactylanthus taylorii* (++) (unc)  
*Dichondra brevifolia* agg. (unc.) (+)  
*Epilobium nerteroides*  
*E. rotundifolium* (+)  
\* *Galium aparine*  
\* *Helleborus orientalis*  
*Haloragis erecta* ssp. *erecta*  
*Hydrocotyle elongata* (+)

H. heteromeria (+)  
H. moschata (+)  
\* *Mimulus guttatus*  
*Oxalis exilis* (+)  
*Parietaria debilis* (++)  
*Pratia angulata* agg. (++)  
*Ranunculus reflexus* (+)  
*Stellaria decipiens* (incl. *S. minuta* and *S. parviflora*) (+)  
*Urtica incisa* (+)  
*Wahlenbergia rupestris* (++) (unc)

No. of indigenous species: = 160 (146<sup>1</sup>)

No. of indigenous species seen since 1990 = 125 (111<sup>2</sup>)

---

<sup>1</sup> No. recorded by Druce (1972, revised 1988)  
<sup>2</sup> No. seen since 1990 of Druce's 146 species