

WHAREKAUHAU STATION AND RIMUTAKA FOREST PARK

Grid Ref. Infomap 260 R27,R28 Pt Q27(1996)in a line from 835824 - 838830 and down Wharepapa river and up Papatahi Stream


Wellington Botanical Society(compiled by Pat Enright)
08/12/96

(r) indicates found in riverbed

Gymnosperm trees and shrubs

Dacrycarpus dacrydioides
Dacrydium cupressinum
Prumnopitys ferruginea
Prumnopitys taxifolia

Kahikitea
Rimu
Miro
Matai



Cotyledonous trees and shrubs

Alectron excelsus
Brachyglottis eleagnifolius
Brachyglottis repanda
Carpodatus serratus
Carmichaelia arborca (r)
Cassinia leptophylla (r)
Coprosma areolata
Coprosma crassifolia
Coprosma grandifolia
Coprosma lucida
Coprosma rhamnoides
Corynocarpus laevigatus
Cyathodes juniperina
Elaeocarpus dentatus
Elaeocarpus hookerianus
Griselinia littoralis
Griselinea lucida
Haloragus erecta (r)
Hebe stricta var. *atkinsonii*
Helichrysum lanceolatum
Hedycarya arborea
Knightia excelsa
Kunzea ericoides
Laurelia novae-zelandiae
Leptospermum scoparium
Leucopogon fasciculatus
Lophomyrtus obcordata
Macropiper excelsum
Melicytus ramiflorus
Metrosideros robusta
Myoporum laetum
Myrsine australis
Myrsine salicina

(*flagellifera*)

Titoki
Rangiora
Putaputaweta
Native broom
Tauhinu

Raukau

Karaka
Mingimingi
Hinau
Pokaka
Broadleaf
Puka

Koromiko

Porokaiwhiri, pigeonwood
Rewarewa
Kanuka
Pukatea
Manuka

Rohutu
Kawakawa
Mahoe
Northern rata
Ngaio
Red matipo

<i>Nestigus cunninghamii</i>	Black maire
<i>Nestigus lanceolata</i>	White maire
<i>Nestigus montana</i>	
<i>Nothofagus solandri</i>	Black beech
<i>Nothofagus truncata</i>	Hard beech
<i>Olearia rani</i>	
<i>Parahēbe diffusa</i>	
<i>Pennantia corymbosa</i>	Kaikamako
<i>Pittosporum tenuifolium</i>	Kohuhu
<i>Pseudowintera colorata</i>	
<i>Pseudopanax anomalus</i>	
<i>Pseudopanax arboreus</i>	Five finger
<i>Pseudopanax crassifolius</i>	Horocka, lancwood
<i>Schefflera digitata</i>	Pate
<i>Urtica ferox</i>	Tree nettie
<i>Weinmannia racemosa</i>	Kamahi

Monocotyledonous trees and shrubs

<i>Cordyline australis</i>	Ti, cabbage tree
<i>Rhopalostylis sapida</i>	Nikau

Monocotyledonous lianes

<i>Freycinetia banksii</i>	Kiekie
<i>Ripogonum scandens</i>	Supplejack

Dicotyledonous lianes and related trailing plants

<i>Clematis forsteri</i>	
<i>Clematis paniculata</i>	Puawhananga
<i>Metrosideros fulgens</i>	Aka kura
<i>Metrosideros perforata</i>	Aka kiore
<i>Muehlenbeckia australis</i>	Heuheu
<i>Parsonsia heterophylla</i>	Aka kiore, N.Z. Jasmine
<i>Rubus cissoides</i>	Bush lawyer

Psilotops, Lycopods and Quillworts

<i>Lycopodium varium</i>	Hanging clubmoss
<i>Lycopodium volubile</i>	

Ferns

<i>Adiantum cunninghamii</i>	Maidenhair fern
<i>Asplenium bulbiferum</i>	Manamana, Hen and Chicken fern
<i>Asplenium flaccidum ss</i>	Makawe, Hanging spleenwort
<i>Asplenium hookerianum</i>	
<i>Asplenium oblongifolium</i>	Huruhuruwhenua, Shining spleenwort

<i>Asplenium polyodon</i>		
<i>Azolla filiculoides</i> (r)		
<i>Blechnum "blackspot lowland"</i>	(pp <i>B. capense</i>)	Kiokio
<i>Blechnum chambersii</i>		
<i>Blechnum discolor</i>		
<i>Blechnum filiforme</i>		
<i>Blechnum fluviatile</i>		Kiwakiwa
<i>Blechnum procerum</i>		
<i>Blechnum vulcanicum</i>		
<i>Ctenopteris heterophylla</i>		
<i>Cyathea dealbata</i>		Ponga, Silver fern
<i>Cyathea medullaris</i>		Mamaku
<i>Cyathea smithii</i>		
<i>Dicksonia squarrosa</i>		Wheki
<i>Grammitis billardieri</i>		
<i>Histiopteris incisa</i>		
<i>Hymenophyllum bivalve</i>		
<i>Hymenophyllum dilatatum</i>		
<i>Hymenophyllum demissum</i>		
<i>Hymenophyllum flabellatum</i>	(<i>Mecodium</i>)	
<i>Hymenophyllum flexuosum</i>		
<i>Hymenophyllum multifidum</i>	(<i>Meringium</i>)	
<i>Hymenophyllum rarum</i>		
<i>Hymenophyllum revolutum</i>		
<i>Hymenophyllum sanguinolentum</i>		
<i>Hymenophyllum scabrum</i>		
<i>Hypolepis ambigua</i>		
<i>Lasteopteris glabella</i>		
<i>Lasteopteris hispida</i>		
<i>Leptopteris hymenophylloides</i>		Single crepe fern
<i>Lindsaea trichomanoides</i>		
<i>Paesia scaberula</i>		
<i>Pellea rotundifolia</i>		
<i>Phymatosorus pustulatus</i>	(<i>P. diversifolium</i>)	Kowaowao, hound's tongue
<i>Phymatosorus scandens</i>		Mokimoki, fragrant fern
<i>Pneumatopteris pennigera</i>		Pakauroharoha, gully fern
<i>Polystichum richardii</i>		Pikipiko
<i>Polystichum vestitum</i>		
<i>Pteridium esculentum</i>	(<i>P. aquilinum</i> var <i>esculentum</i>)	Bracken, rauaruhe
<i>Pteris macilenta</i>		
<i>Pyrrosia eleagnifolia</i>	(<i>P. serpens</i>)	Leather-leaf fern
<i>Rumohra adiantiformis</i>		
<i>Trichomanes endlicherianum</i>		
<i>Trichomanes reniforme</i>		Kidney fern
<i>Trichomanes venosum</i>		

Orchids

- Caladenia aff carnea*
Chiloglottis cornuta

Corybas macranthus
Corybas trilobus
Drymoanthus adversus
Earina autumnalis
Earina mucronata
Microtis unifolia
Pterostylis alobula
Pterostylis banksii
Pterostylis graminea
Thelymitra longifolia

Grasses

Chionochloa conspicua (r) Toetoe
Cortaderia fulvida (r)
Microlaena avenacea Paatiitii, Bush rice grass

Sedges

<i>Carex dissita</i>	
<i>Carex inversa</i>	
<i>Carex secta</i> (r)	Niggerhead, pukio
<i>Carex virgata</i>	
<i>Cyperus ustulatus</i> (r)	
<i>Gahnia pauciflora</i>	
<i>Isolepis prolifer</i> (r)	
<i>Isolepis reticularis</i>	
<i>Uncinia banksii</i>	Hook grass
<i>Uncinia rupestris</i>	
<i>Uncinia scabra</i>	
<i>Uncinia uncinata</i>	Watu, Hook grass

Bushes and allied plants

Juncus planifolius

Remaining Monocotyledonous plants

Astelia solandri
Collospermum hastatum
Dianella nigra Blue berry

Daisy-like herbs (Composites)

Lagenifora pumila
Pseudognaphalium luteoalbum (r)
Raoulia tenuicaulis (r)

Dicotyledonous herbs other than Composites

Acaena novae zelandiae
Arthropodium candidum
Crassula sieberiana (r)
Epilobium brunnescens (r)
Hydrocotle elongata
Hydrocotle moschata
Lenina minor (r)
Nertera depressa
Oxalis exilis
Parietaria debilis
Plantago raoulii
Ranunculus reflexus
Stellaria decipiens
Urtica incisa
Wahlenbergia "violacea"

The quality of the forest was very noteworthy for the abundance of large podocarps and the number of seedlings coming on. The comment was made by some veteran Botsoc members that it was the best bit of bush they had seen in a long time.

The one disconcerting find was several patches of *Equisetum arvense* in the Wharepapa river bed. D.O.C. have been notified.