

species list for wetlands in Queen Elizabeth Park, lying between NIMT Railway, Mackays Road, and fenced remnant of coastal forest. Plants of adjacent dry pastures not listed. Numbers 1-4 indicate the species' presence in different sections of the wetland - see Fig. 1.

\* = exotic species. C.C. Ogle 1/3/81

## DICOTYLEDONS

- \**Callitrichia stagnalis* (starwort)
  - Centella uniflora*
  - Centipeda orbicularis*
  - \**Cotula coronopifolia* (batchelor's button)
  - \**Galium palustre* (?) (marsh bedstraw)
  - Gnaphalium involucratum*
  - Gonocarpus micranthus*
  - Gratiola sexdentata*
  - Hydrocotyle pterocarpa*
  - Hypericum japonicum*
  - Lobelia anceps* (NZ lobelia)
  - \**Lotus peduncularis* (lotus major)
  - \**Ludwigia palustris* (water purslane)
  - \**Mentha pulegium* (pennyroyal)
  - \**Myosotis caespitosa* (water forget me not)
  - Myriophyllum propinquum* (milfoil)
  - \**Polycarpon tetraphyllum* (allseed)
  - \**Polygonum hydropiper* (waterpepper)
  - P. sp. (c.f. *P. decipiens*) - *salicifolium*
  - \**Ranunculus repens* (creeping buttercup)
  - R. rivularis* < *amplifolius*
  - \**R. sceleratus* (celery-leaved buttercup)
  - \**Rumex crispus* (curled dock)
  - \**Sagina procumbens* (pearlwort)
  - \**Trifolium repens* (white clover)

1	2	3	4
			x
	x	x	x
		x	
x		x	
x	x	x	
		x	x
		x	
	x	x	
		x	
		x	
x	x	x	x
x	x	x	
x	x	x	x
x			x
x	x	x	x
x			x
x	x	x	x
x	x	x	
x			
x			
			x
			x
x	x	x	x

## MONOCOTYLEDONS

- \**Agrostis stolonifera* (creeping bent)
  - Carex virgata*
  - Cordyline australis* (cabbage tree)
  - Cyperus ustulatus*
  - Eleocharis acuta* (spike edge)
  - E. sphacelata* (bamboo spike sedge)
  - \**Festuca arundinacea* (tall fescue)
  - \**Glyceria declinata* (floating sweet grass)
  - \**Juncus articulatus*
  - J. australis*
  - \**J. effusus*
  - J. gregiflorus*
  - J. pallidus*
  - J. sarophorus*
  - Lemma minor* (duckweed)
  - Potamogeton cheesemanii* (pond weed)
  - Schoenus maschalinus*
  - Scirpus nodosus*
  - S. prolifer*
  - \**S. setacea*
  - \**Spirodela punctata* (purple-backed duckweed)
  - Wolffia australiana* (water meal)

X	X	X	X
X		X	
	X	X	
	X		
X	X	X	X
		X	
X			
X	X	X	X
X		X	X
		X	X
X	X	X	X
X	X	X	X
		X	
X	X	X	X
X	X	X	X
X		X	X
		X	
X			
		X	
	X		
X		X	
		X	
		X	
		X	

FERN

- ### Azolla rubra (red water fern)

x		x	
---	--	---	--

### Additions to area 3 in 1982-84

- \* *Amphibromus fluitans*
  - Lythrum hyssopifolia*
  - Lobelia anceps*
  - Lachnagrostis* sp. (*L. filiformis* ???)

*Juncus planifolius*  
*Gonocarpus micranthus*  
*Gnaphalium involucratum*  
*Hypericum japonicum*  
*Hydrocotyle novae-zelandiae*

Plant species list for fenced coastal forest remnant, Queen Elizabeth Park, just south of Mackays Rd. (The number of specimens seen is given for a few tree species). \* denotes exotic species.

C.C. Ogle 1.3.81

GYMNOSPERMS

- \* *Cupressus macrocarpa* (macrocarpa)  
Podocarpus *dacrydioides* (kahikatea) (25+)  
*Prunus pitys taxifolia* (matai) (1) [found ""]

DICOTYLEDONS

- Alectryon *excelsus* (titoki) (3)  
Beilschmiedia *tawa* (tawa)  
Centipeda *orbicularis*  
\* *Carduus tenuiflorus* (winged thistle)  
\* *Cerastium glomeratum* (mouse-eared chickweed)  
\* *Cirsium arvense* (Californian thistle)  
\* *C. vulgare* (Scotch thistle)  
Coprosma *repens* (taupata)  
Corynocarpus *laevigatus* (karaka) (2)  
\* *Crepis capillaris* (hawksbeard)  
\* *Digitalis purpurea* (foxglove)  
Dysosmium *spectabile* (kohekohe)  
Elaeocarpus *dentatus* (hinau) (2)  
\* *Galium aparine* (cleavers)  
\* *Geranium molle* (soft dove's foot)  
\* *G. robertianum* (herb Robert)  
Hydrocotyle *moschata*  
*H. sp. (H. novae-zelandiae agg.)*  
\* Hypochaeris *radicata* (cat's ear)  
Knightia *excelsa* (rewarewa) (1)  
Laurelia *novae-zelandiae* (pukatea) (13)  
Leptospermum *ericoides* (kanuka)  
\* *L. scoparium* (manuka) (1)  
*L. peduncularis* ("")  
\* *L. bullata* ("")  
\* *Lupinus arboreus* (lupin)  
Melicytus *ramiflorus* (mahoe)  
\* *Mentha pulegium* (penny royal)  
Metrosideros *perforata* (white climbing rata)  
Muehlenbeckia *australis* (pohuehue)  
M. *complexa* (pohuehue)  
Myoporum *laetum* (ngaio)  
Myriophyllum *propinquum* (milfoil)  
Myrsine *australis* (mapou) (1 juvenile, 1m tall + 2 adults)  
Paratrophis *banksii* (large-leaved milk tree) (1)  
P. *microphylla* (small-leaved milk tree) (1)  
Parietaria *debilis*  
Parsonsia *heterophylla* (NZ jasmine) (1 seedling, 2 adults)  
\* Phytolacca *octandra* (ink weed)  
\* Polygonum *hydropiper* (water pepper)  
\* Rumex *conglomeratus* (clustered dock)  
\* *R. crispus* (curled dock)  
\* *Sambucus nigra* (elderberry)  
\* *Senecio bipinnatisectus*  
\* Solanum *nigrum* (black nightshade)  
\* *S. pseudo-capsicum* (Jerusalem cherry)  
† Griselinea *lucida* (broadleaf)

TYLEDONS (Continued)

<i>S. sp.</i> ( <i>S. aviculare</i> or <i>S. laciniatum</i> )	(poroporo)
* <i>Stellaria media</i>	(chickweed)
<i>Syzygium</i> ( <i>Eugenia</i> ) <i>maire</i>	(swamp maire) (5)
<i>Tetragonia trigyna</i>	(NZ spinach)
* <i>Trifolium dubium</i>	(suckling clover)
* <i>T. repens</i>	(white clover)
* <i>Ulex europeus</i>	(gorse)

FERNS

<i>Asplenium flaccidum</i> ssp <i>flaccidum</i>	(hanging spleenwort)
<i>Hypolepis</i> sp. ( <i>H. tenuifolia</i> of NZ authors)	
<i>Phymatosorus diversifolius</i>	(hound's tongue)
<i>Pteris tremula</i>	
<i>Pyrrosia serpens</i>	

MONOCOTYLEDONS

* <i>Agrostis stolonifera</i>	(creeping bent)
* <i>A. tenuis</i>	(brown top)
* <i>Anthoxanthum odoratum</i>	(sweet vernal)
* <i>Arrhenatherum elatius</i>	(tall oat grass)
<i>Carex virgata</i>	
<i>Cordyline australis</i>	(cabbage tree)
* <i>Cynosurus cristatus</i>	(crested dog's tail)
* <i>Dactylis glomerata</i>	(cock's foot)
* <i>Ehrharta erecta</i>	(veldt grass)
<i>Eleocharis acuta</i>	
* <i>Holcus lanatus</i>	(Yorkshire fog)
* <i>Juncus articulatus</i>	
<i>J. australis</i>	
<i>J. gregiflorus</i>	
<i>J. pallidus</i>	
<i>J. sarophorus</i>	
<i>Microlaena stipoides</i>	
<i>Ripogonum scandens</i>	(meadow rice grass)
<i>Scirpus prolifer</i>	(supplejack)
* <i>Zantedeschia aethiopica</i>	(arum lily)